

Introducing new French-speaking users to \LaTeX quickly and convincingly

Abstract

For four university years, we had to introduce 2nd-year university students in Mathematics to \LaTeX . An important goal was to make them able to use \LaTeX when they are given some long homework in Mathematics the year after (3rd-year university). This teaching unit only included lab classes and was 15 hours long. We present our approach in detail and explain how it was perceived by students.

Keywords

Teaching \LaTeX , successive steps of a course, lab-class-based curriculum, students' perception

Introduction

When \LaTeX [23] came out, it was sometimes viewed as a program hard to use, except for computer scientists familiar with hermetic programming languages. However this word processor has become more and more well-known as a powerful tool that produces high-quality print output. Besides, beginners can learn it now with many books introducing it, in many languages, some—non-limitative—examples are [13] in English, [4, 22, 30] in French, [27] in German, [5, 34] in Hungarian, [3] in Italian, [7] in Polish, [31] in modern Greek, ... In addition, some universities propose introductions to \LaTeX within their *curricula*. An example is a unit—entitled *Scientific Tools*—we taught for four academic years (2004–2008), at the Faculty of Science and Technics, part of the University of Franche-Comté and located at Besançon, in the east of France.

Students who attended this unit were in the 2nd academic year of Mathematics.¹ One goal of this teaching unit was to ease the writing of an important homework the year after, that is, within the 3rd academic year in Mathematics, so a substantial part of this unit was devoted to \LaTeX 's math mode. Let us be precise that this teaching unit was not optional; that is, all the students had to attend it, even if they were not convinced of \LaTeX *a priori*. Of course, some had heard about it, some had not. This unit only included lab classes and was 15 hours long. So students actually practised exercises in \LaTeX ,

but we did not have enough time to show very advanced features.

We think that the approach we follow is interesting. In a first section, we make explicit our requirements and the pitfalls we wanted to avoid. Then we show the broad outlines of the steps of our unit and summarise the experience we got. Of course, reading this article only requires basic knowledge about \LaTeX .

What to do? What to avoid?

Many introductions to \LaTeX begin with typing a small text and enriching it; some examples are [5, 22]. Our starting point is that this *modus operandi* has too many drawbacks, especially for non-English-speaking future users, in particular for French-speaking ones. First, only a few students are familiar with typing texts quickly and intensively, even if some have already used computers. They may make some typing mistakes in command names. Of course, any \LaTeX teacher is able to fix them, but the price to pay is loss of time and dynamic. Besides, students need to be convinced of \LaTeX from their first experiments. They should see that this word processor is suitable for large-sized texts, at the beginning, they should be able to observe that it is easy with \LaTeX to apply some changes related to layout: changing characters' basic size, switching one-column and two-column layouts, ... All these goals can be reached only if students are given a text already typed and ready to be processed. That is, compiling this text should be successful the first time, so there is no anxiety about this point.

Besides, let us not forget that the most natural choice for a text to be typed by French students is a text in French. But some typographical rules are different from English ones: for example, a thin space—produced by the \LaTeX command ‘\, ’—is to be put just before a ‘high’ punctuation sign,² such as an exclamation or question mark:³

Joie, bonheur et délectation !

whereas the same signs are glued to the preceding text in English:

there was a lot of fun!

That is, such punctuation signs should be *active*⁴ within French fragments. Of course, the simplest solution to this problem is to use the babel package's french option [25, Ch. 9]. So, end-users can type 'Vous_comprenez?' or 'Vous_comprenez_?' and the results will be typeset correctly in both cases:

Vous comprenez ?

This point may seem to be a digression, but our purpose is to show how difficult the beginning of an introduction to L^AT_EX for non-English-speaking people is. Teachers are placed in a dilemma: either students have to typeset texts peppered with commands such as '\ ' or '\ ,', or they should be given a big preamble, consisting of many \usepackage directives, with the advice 'You will understand later.'⁵ In the case of the French language, this point is enforced because of accented letters: the most frequently used are directly provided by French keyboards—for example, 'é' or 'è', very frequent within French words—but the keys are unusable if the inputenc package has not been loaded with the latin1 option [25, § 7.11.3]. If French students begin to learn L^AT_EX by typing their own texts, there is no doubt that these texts will contain accented letters.

Anyway, the best solution seems to be a complete text—in French or in English—and students can perform first exercises by changing some sentences or adding some short fragments. Students can put down some simple sentences in English, so writing in this language avoids some problems related to French typography. When they have become familiar with the commands of L^AT_EX and its 'philosophy', the tools making it practical to write in the French language—the babel and inputenc packages—will be introduced. From our point of view, a 'good' text, usable as a starting point, should provide the following features:

- a title, author, and date identified, so students can learn about commands such as \title, \author, \date, and \maketitle; an annotation may be a pretext for introducing the \thanks command;
- an average-sized text;
- a command used without argument, in order to show that a space character following a command's name without explicit delimiter is gobbled up;
- a word hyphenated incorrectly, so students can realise that some words may be hyphenated, and learn how to fix such a mistake, even if that is rare;
- a pretext for introducing a new command in L^AT_EX,
- a pretext for introducing cross-references.

The steps of our unit

The source text given to students is [10]. More precisely, the first version, giavitto.tex, does not use the babel package, even though this text is in French, with a short introduction we wrote in English. The inputenc package is not used, either, so we used T_EX accent commands, and 'high' punctuation signs are explicitly preceded by a thin space, e.g.:

Joie, bonheur et d\{e}lectation\,!

This text, a criticism about a book, came out in a forum. It has seemed to us to be very suitable for such an introduction to L^AT_EX, because:

- it is 3 pages long, that is, a small-sized text, but not too short;
- the introduction's second paragraph reads:

... using the \LaTeX\ word processor...

- without the babel package's french option, there is a word hyphenated between a consonant and the following vowel, which is incorrect in French:⁶ 'ex-emple' (for 'example', hyphenated as 'ex-ample' in English) should be hyphenated as 'exem-ple';⁷
- in this text, some words need an emphasis stronger than what is usually expressed by italicised characters: in the original text, typeset using only the standard typewriter font,⁸ these words were written using capital letters:

Comment pouvait-IL savoir cela ?

The source text reads:

Comment pouvait-\superemph{il}...

and we can illustrate the use of variants of this new command \superemph:

```
\newcommand{\superemph}[1]{\uppercase{#1}}
\newcommand{\superemph}[1]{%
  **\uppercase{#1}**}
\newcommand{\superemph}[1]{**\textsc{#1}**}
...
```

That allows a kind of '*semantic markup*' [17], in the sense that this markup is related to a semantic notion, rather than some layout.

The first exercise is to compile the source text of this first version giavitto.tex, the second is to play with some options of the \documentclass command: twocolumn,

12pt, ... so students can see that adapting a document to different layouts is easy. Guidelines are given in [15]. To sum up the order we follow:

- basic notions: commands, environments, preamble;
- sectioning commands: `\part`, `\chapter`, ...
- parsing problem regarding commands without a right delimiter (*cf. supra*);
- formatting environments: `center`, `flushleft`, `flushright`;
- changing characters' look: commands and environments such as `\textbf` and `bfseries`, `\textsf` and `sffamily`, ...
- introducing and redefining new commands: `\newcommand` and `\renewcommand`, use of 'semantic' markup, by means of commands such as `\superemph` (*cf. supra*), 'local' definitions—surrounded by additional braces—vs. global ones;
- changing size: commands and environments `small`, `footnotesize`, ...
- list environments: `itemize`, `description`, `enumerate`; counters controlling `enumerate` environments, difference between redefining *values* and *look*—e.g., as done respectively by the commands `\enumi` and `\labelenumi`—insertion of footnotes;
- introducing *packages*: examples are `indentfirst`⁹ [25, p. 32] and `eurosym` [25, pp. 408–409];
- notion of *dimensions*, how the page layout parameters are defined [25, Fig. 4.1] and how to customise them;
- how sequence of words (resp. successive lines) are split into lines (resp. pages), useful commands such as `\-`, `\linebreak`, `\pagebreak`, `\smallskip`, `\medskip`, `\bigskip`, putting unbreakable space characters by means of the '~' input character;
- management of *cross-references* and introduction of *auxiliary* (.aux) files, commands `\label`, `\ref`, `\pageref`; use of an additional .toc file for a table of contents and `\tableofcontents` command;
- introducing some basic differences between French and English typography; then we show how the `babel` package allows L^AT_EX to typeset texts written in many languages, possibly within the same document; introducing some useful commands of the `babel` package's french option; the 'standard' preamble of a L^AT_EX document written in French is given:

```
\documentclass{...}

\usepackage[...]{babel}
\usepackage[T1]{fontenc}
\usepackage[latin1]{inputenc}
...
```

(see [25, §§ 7.11.3 & 7.11.4] about the packages `fontenc`

and `inputenc`); as an example taking advantage of L^AT_EX's multilingual features as much as possible, a second version of [10], `giavitto-plus.tex`, is given to students;

- the document's end is devoted to some complements not demonstrated in lab classes: some converters to HTML¹⁰ (L^AT_EX2HTML [11, Ch. 3], T_EX4ht [11, Ch. 4], HyperL^AT_EX [19]), BibL^AT_EX [28].

Of course, students are not required to master all these items: we make precise the points students must know, and other information is given as a *memorandum*, e.g., the list of commands changing characters' look. A second document [16] is devoted to math mode and is organised as follows:

- math mode vs. text mode;
- spacing in math mode;
- commands changing characters' look in math mode, e.g., `\mathrm`, `\mathit`, ..., additional packages such as `amssymb` or `euscript`;¹¹
- commands producing Greek letters for mathematical purpose (`\alpha`, ...) and symbols (`\leftarrow`, ...) in math mode;
- subscripts, superscripts, fractions, radicals;
- adjustments: commands `\displaystyle`, `\textstyle`, ..., operators *taking limits* or not, horizontal and vertical *struts*, the `amsmath` package's `\text` command;
- definition of operator names, by means of the commands `\mathop`, `\DeclareMathOperator`, `\DeclareMathOperator*`, `\mathbin`, `\mathrel`;
- *delimiter* management, by means of the commands `\left`, `\middle`, and `\right`;
- environments cases and equation; more features belonging to the `amsmath` package, such as the environments `multline`, `split`, `gather`, and the commands `\tag`, `\intertext`;
- environments belonging to L^AT_EX: `eqnarray`, `eqnarray*`;
- environments useful for general matrices (`[b|p|v|V]matrix`) and arrays (`[sub]array`), packages `multirow`, `[del]array`;
- back to L^AT_EX's text mode and introduction of the `tabular` environment.

Two other documents gently bring this unit to its end:

- [29] introduces pdfL^AT_EX and the `hyperref` package [11, Ch. 2], taking as much advantage as possible of the features of the PDF¹² format related to hyperlinks;

- [1] is devoted to image insertion, by means of the packages `graphic(s|x)` [25, § 10.2].

Of course, all these documents include references—possibly on-line—that allow readers to learn more.

Lessons learned

Teaching this unit gave good results: it actually seemed to us that students really enjoy discovering \LaTeX and using it. Generally they got nice outputs. In addition, practising \LaTeX 's math mode caused them to realise how diverse 'graphical' expressions of Mathematics are. For example, 'modulo' is both an infix and prefixed operator, as reflected by the two commands `\bmod` and `\pmod`. Likewise, the notion of operators taking limits separates the layout—the location of each piece of information—and the common notion—an interval's endpoints. That is, the commands of \LaTeX 's math mode may be viewed as *presentation markup*, comparable to the namesake notion in MathML¹³ [33, § 2.1.2].

Anyway, let us recall that we taught students in Mathematics. Such students learned the basics of a programming language,¹⁴ but do not plan to become computer scientists. So, they did not get used to presenting programs nicely, by indenting them, as students in Computer Science learn to do, in order to be able to work on them again. A good exercise to emphasise this point is first to give students a complicated formula to be typeset, then to ask them to change it.

Teachers have to give some advice about organising \LaTeX source texts. For example, there should be no other word on a line containing `\begin` or `\end` commands delimiting environments, and nesting environments should be made clear by indenting them:

```
... text before.
\begin{itemize}
  \item ...
  \begin{itemize}
    \item ...
    ...
  \end{itemize}
\end{itemize}
Text after...
```

Some notations should be avoided when a more systematic markup is available. For example, we think that it is better for students to get used to writing:

```
\begin{small}
...
\end{small}
```

than '`\small ...`'. Of course, the latter may appear

as simpler for short fragments, but any \TeX nician knows that it is possible to use a command like `\small` without additional braces, in which case, this size change runs until the next size change command. If the markup associated with a command is not clearly expressed, some students may be baffled. Besides, let us consider three versions of an end-user defined command typesetting a note using small-sized characters:

```
\newcommand{\note}[1]{%
  \begin{small}#1\end{small}}
\newcommand{\noteone}[1]{\small#1} % Wrong!
\newcommand{\notetwo}[1]{\small#1}
```

Of course, any \LaTeX teacher can explain why the `\noteone` command does not work as expected, and how to fix this wrong definition as done for the `\notetwo` command. However, a user who is used to `\small` as an environment—rather than '`\small ...`'—would probably put down this `\note` command as we did, and that is indisputably the simplest solution.

The commands and environments introduced by the \LaTeX format have homogeneous taxonomy about delimiting arguments and effects. That is, the markup is very clear, in particular for beginners. That may not be the case for commands originating from \TeX 's basis: for example, if you would like to put a vertical strut whose length is given, we can use the construct `\vbox to 1.1\baselineskip{}` [16, § 2.7], that is, using a kind of *mixed* markup. Of course, dealing with such a command is rare. But other commands belonging to *plain \TeX* 's math mode, such as `\over` or `\atop`, are error-prone since they have no argument and are only related to positional relationships. Let us compare plain \TeX 's `\over` command with \LaTeX 's `\frac`, that has 2 arguments: the source texts for the numerator and denominator.¹⁵

Last but not least, we notice some points related to the implementation we used: `\TeXnicCenter` [32], built on top of the `MiK \TeX` typesetting engine [24], and running under the Windows operating system. This graphic interface is very good, especially the correspondence between the editor's cursor and a marker in the resulting `.dvi`¹⁶ file. The main drawback is that `MiK \TeX` runs in non-stop mode. As a consequence, students may get almost complete texts in case of recoverable errors. So they do not have to be aware of their errors and they perceive only 'serious' ones. It is needed to introduce them to `.log` files, and ask them to tolerate only warning messages.

Conclusion

\LaTeX being extensible because of its numerous packages, it is impossible for an introductory course to give all the

functionalities that already exist. In fact, teachers also have to show how to use L^AT_EX's documentation—good documents exist in French—to learn more on their own. But it is essential for students to understand L^AT_EX's philosophy and get good methods. We think our method fulfills these goals. From 2003 to 2005, J.-M. Hufflen taught 4th-year university students enrolled in 'Digital Publishing' program¹⁷ at the Letter Faculty of Besançon, and got initial experiences for writing [15]. A more concise document [2] has been used by A.-M. Aebischer for analogous introductory courses given at the IREM¹⁸ institute for future teachers in Mathematics.

Acknowledgements

Sincere thanks to Karl Berry and Barbara Beeton, who proofread the first version of this article.

References

- [1] Anne-Marie AEBISCHER : *Insertion d'images*. Document de support de travaux pratiques. Avril 2008.
- [2] Anne-Marie AEBISCHER : *Créer des documents scientifiques avec L^AT_EX*. Stage 2008 à l'IREM de Franche-Comté. 2008.
- [3] Claudio BECCARI: *Introduzione all'arte della composizione tipografica con L^AT_EX*. September 2009. GUIT.
- [4] Denis BITOUZÉ et Jean-Côme CHARPENTIER : *L^AT_EX*. Pearson Education. 2006.
- [5] BUJDOSÓ Gyöngyi – FAZEKAS Attila: *T_EX ker-dölépések*. Tertia Kiadó, Budapest. április 1997.
- [6] *The Chicago Manual of Style*. The University of Chicago Press. The 14th edition of a manual of style revised and expanded. 1993.
- [7] Antoni DILLER: *L^AT_EX wiersz po wierszu*. Wydawnictwo Helio, Gliwice. Polish translation of *L^AT_EX Line by Line* with an additional annex by Jan Jelowicki. 2001.
- [8] Bernard GAULLE : *Notice d'utilisation de l'extension frenchpro pour L^AT_EX. Version V5,995*. Avril 2005. <http://www.frenchpro6.com/frenchpro/french/ALIRE.pdf>.
- [9] Bernard GAULLE : *L'extension frenchle pour L^AT_EX. Notice d'utilisation. Version V5,9993*. Février 2007. <http://www.tug.org/texlive/Contents/live/texmf-dist/doc/latex/frenchle/frenchle.pdf>.
- [10] Jean-Louis GIAVITTO : *Ouverture des veines et autres distractions*. Documents de support de travaux pratiques. <http://lifc.univ-fcomte.fr/home/~jmhufflen/l2s/giavitto.pdf> et <http://lifc.univ-fcomte.fr/home/~jmhufflen/l2s/giavitto-plus.pdf>. Octobre 1986.
- [11] Michel GOOSSENS and Sebastian RAHTZ, with Eitan M. GURARI, Ross MOORE and Robert S. SUTOR: *The L^AT_EX Web Companion*. Addison-Wesley Longman, Inc., Reading, Massachusetts. May 1999.
- [12] Maurice GRÉVISSE : *Le bon usage*. Duculot. Grammaire française. 12^e édition refondue par André Goosse. 1988.
- [13] David GRIFFITHS and Desmond HIGHAM: *Learning L^AT_EX*. SIAM. 1997.
- [14] Jean-Michel HUFFLEN : « Typographie : les conventions, la tradition, les goûts, ... et L^AT_EX ». *Cahiers GUTenberg*, Vol. 35–36, p. 169–214. In *Actes du congrès GUTenberg 2000*, Toulouse. Mai 2000.
- [15] Jean-Michel HUFFLEN : *Premier contact avec L^AT_EX*. Document de support de travaux pratiques. <http://lifc.univ-fcomte.fr/home/~jmhufflen/l2s/to-do.pdf>. Janvier 2006.
- [16] Jean-Michel HUFFLEN : *Mode mathématique*. Document de support de travaux pratiques. <http://lifc.univ-fcomte.fr/home/~jmhufflen/l2s/to-do-math.pdf>. Février 2006.
- [17] Jean-Michel HUFFLEN: "Writing Structured and Semantics-Oriented Documents: T_EX vs. XML". *Biuletyn GUST*, Vol. 23, pp. 104–108. In *Bachot_EX 2006 conference*. April 2006.
- [18] Jean-Michel HUFFLEN : *C++... et d'autres outils... pour l'étudiant mathématicien*. Polycopié. Besançon. Janvier 2008.
- [19] *HyperL^AT_EX*. February 2004. <http://hyperlatex.sourceforge.net>.
- [20] *Java Technology*. March 2008. <http://java.sun.com>.
- [21] Donald Ervin KNUTH: *Computers & Typesetting. Vol. A: The T_EXbook*. Addison-Wesley Publishing Company, Reading, Massachusetts. 1984.
- [22] Thomas LACHAND-ROBERT : *La maîtrise de T_EX et L^AT_EX*. Masson. 1995.
- [23] Leslie LAMPORT: *L^AT_EX: A Document Preparation System. User's Guide and Reference Manual*. Addison-Wesley Publishing Company, Reading, Massachusetts. 1994.
- [24] *MiK_TE_X... Typesetting Beautiful Documents*. 2009. <http://miktex.org/>.
- [25] Frank MITTELBAACH and Michel GOOSSENS, with Johannes BRAAMS, David CARLISLE, Chris A. ROWLEY, Christine DETIG and Joachim SCHROD: *The*

- LaTeX Companion*. 2nd edition. Addison-Wesley Publishing Company, Reading, Massachusetts. August 2004.
- [26] Chuck MUSCIANO and Bill KENNEDY: *HTML: The Definitive Guide*. 6th edition. O'Reilly & Associates, Inc. October 2006.
- [27] Elke NIEDERMAIR und Michael NIEDERMAIR: *LaTeX—Das Praxisbuch*. 3. Auflage. Franzis. 2006.
- [28] Oren PATASHNIK: *BibTeXing*. February 1988. Part of the BibTeX distribution.
- [29] François PÉTIARD : *Le package hyperref*. Document de travaux pratiques. Mai 2005.
- [30] Christian ROLLAND : *LaTeX par la pratique*. O'Reilly France, Paris. 1999.
- [31] Apostolos SYROPOULOS: *LaTeX*. Ένας Πλήρης για την Εκμάθηση του Συστήματος Στοιχειοθεσίας LaTeX. Παρατηρητής. 1998.
- [32] *TeXnicCenter*. 2008. <http://www.texniccenter.org/>.
- [33] W3C: *Mathematical Markup Language (MathML) Version 2.0*, 2nd edition. W3C Recommendation. Edited by David CARLISLE, Patrick ION, Robert MINER, and Nico POPPELIER. October 2003. <http://www.w3.org/TR/2003/REC-MathML2-20031021>.
- [34] WETTTL Ferenc – MAYER Gyula – SZABÓ Péter: *LaTeX kézikönyv*. Panem. 2004.
8. Let us recall that this text came out in October 1986; the interfaces used within these forums were not comparable to the Web.
9. Indenting the first paragraph after a display heading is more customary in French text than in English, so introducing this indentfirst package is relevant in our unit.
10. HyperText Markup Language, the language of Web pages. [26] is a good introduction to it.
11. Most of the math mode's advanced features are described in detail in [25, Ch. 8].
12. Portable Document Format, Adobe's format.
13. MATHematical Markup Language [33] is an XML (eXtensible Markup Language) application for describing mathematical notation regarding either its structure or its content. Let us mention that MathML's broad outlines are taught to 5th-year students in Statistical Modelling ('*Master 2 de Mathématiques, mention Modélisation statistique*', in French) [18, ch. 9], as part of a unit entitled 'Software Engineering'.
14. Java [20], in the *curricula* of the Faculty of Science and Technics located at Besançon.
15. As mentioned in Note 13, there is an introduction to MathML for some 5th-year university students in Mathematics. MathML's content model [33, § 2.1.3], more related to the semantics of mathematical expressions, is easier to understand for these students than the presentation model.
16. DeVice-Independent.
17. '*Master 1 d'Édition numérique*', in French.
18. '*Institut de Recherche sur l'Enseignement des Mathématiques*', that is, 'Research Institute about teaching Mathematics'.

Notes

1. '*Licence 2, parcours Mathématiques et Mathématiques appliquées*', w.r.t. French terminology.
2. This notion of 'high' sign of punctuation belongs to French typography's terminology. A short survey of these rules is given in [6, §§ 9.21–9.33], a more complete reference is [14], in French.
3. The following quotations come from [10].
4. This notion is explained in [21, Ch. 7].
5. So do [4, 7, 27, 31] The first example of [34] does not use any package, the `\usepackage` command being introduced immediately after. In addition, examples given at first are small-sized, so introducing some variants—e.g., `twocolumn` vs. `onecolumn`—would not be very convincing. On another subject, French texts can be typeset using the packages `french(pro|le)` [8, 9], as alternatives to the `babel` package, but the problem of introducing such a package at the course's beginning remains the same.
6. Except for etymological hyphenation, now hardly used in practice.
7. In fact, this point is debatable, because some French typography manuals consider that a word should not be hyphenated before a silent syllable—'*exemple*' sounds as [ɛgzɑ̃pl]. (That is why this word is not hyphenated in the version processed with the `babel` package's `french` option.) But these typography manuals mention that this convention is difficult to follow, in particular when text columns are narrow, as in daily newspapers, for example. More details about this point can be found in [12].

Anne-Marie Aebischer¹

Bruno Aebischer¹

Jean-Michel Hufflen²

François Pétiard¹

¹ Department of Mathematics (UMR CNRS 6623), University of Franche-Comté, 16, route de Gray, 25030 Besançon Cedex, France.

² LIFC (EA CNRS 4157),

University of Franche-Comté, 16, route de Gray, 25030 Besançon Cedex, France.